


© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.



- NOTES:
1. ALL DIMENSIONS AND LEVELS IN METRES, EXCEPT IF NOTED OTHERWISE.
  2. ALL LEVELS TO MAIN HEAD DATUM.
  3. CO-ORDINATE SYSTEM IS: IRISH TRANSVERSE MERCATOR.
  4. REFER TO ARCHITECTS PLAN LAYOUTS FOR SITE BOUNDARY / CLIENT OWNERSHIP BOUNDARY / WORKS BOUNDARY.
  5. FOUL SEWER PIPE MATERIAL SHALL BE UPVC WHICH IS IN ACCORDANCE WITH SECTION 3.13 OF THE WASTEWATER CODE OF PRACTICE.
  6. TYPICAL SERVICE LAYOUT DISTANCES (HORIZONTALLY AND VERTICALLY) AS PER DETAIL STD-WW-05.
  7. ALL FOUL MANHOLE DETAILS ARE TO BE CONSTRUCTED IN ACCORDANCE WITH STANDARD DETAILS STD-WW-09, STD-WW-10, STD-WW-11 AND STD-WW-12.
  8. TRENCH DETAILS ARE TO BE CONSTRUCTED IN ACCORDANCE WITH STD-WW-07, STD-WW-08 AND STD-WW-13.
  9. DRAIN CONNECTIONS FROM BUILDINGS TO BE MINIMUM 150mm U.N.O. @ 1:100.
  10. ALL MAIN SEWERS WITH LESS THAN 1.2m COVER UNDER ROADS AND 0.9m COVER UNDER GRASSED AREAS AND FOOTPATHS TO BE SURROUNDED IN 150mm CONCRETE MANHOLES, AJS AND SERVICE COVERS LOCATED IN BLOCK PAVED OR PAVING SLAB AREAS ARE TO HAVE RECESSED COVERS TO RECEIVE PAVINGS TO MATCH ADJACENT PAVING MATERIALS.
  11. ALL COVERS IN PUBLIC AREAS TO BE IS EN 124 D400 UNLESS NOTED OTHERWISE & NON-LOCKABLE.
  12. ALL WORKS TO BE UNDERTAKEN IN ACCORDANCE WITH IRISH WATER CONNECTION AND DEVELOPER SERIES STANDARD DETAILS.
  13. GREATER DUBLIN CODE OF PRACTICE FOR DRAINAGE WORKS RECOMMENDATIONS FOR SITE DEVELOPMENT WORKS.
  14. CERTIFICATION TO BE PROVIDED FOR ALL PRODUCTS COVERED BY THE EU CONSTRUCTION PRODUCTS REGULATION (NO.305/2011-CPR).
  15. ALL MATERIALS PROPOSED FOR USE ON SITE TO BE APPROVED PRIOR TO ARRIVAL ON SITE.
  16. LEVELS AND POSITIONS OF ALL EXISTING SERVICES TO BE CONFIRMED ON SITE PRIOR TO CONSTRUCTION.

LEGEND:

- HOUSE TYPE
- FINISHED FLOOR LEVEL
- SITE BOUNDARY
- PROPOSED SERVICES: 225mm EX. FOUW
- PROPOSED SERVICES: 1500mm FS 1:150
- F99 CL 99.99 IL 94.99
- IL 99.99
- EIL 99.99
- EXISTING SERVICES: EX. 225mm FS
- EX CL 99.99
- EX IL 99.99

rev	date	description	by	chkd.
A		Approved		
B		Approved with comments		
C		Do not use		

client approval

suitability S2 - INFORMATION PLANNING

**DBFL Consulting Engineers**  
Civil, Structural & Transportation Engineering  
www.dbfl.ie

DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7, D07 W704  
PHONE: +353 1 400 4000

CORK OFFICE: Phoenix House, Monahan Road, Cork, T12 H1XV  
PHONE: +353 (0) 21 2054330

WATERFORD OFFICE: Sun 10 The Ashun, Waterford Gate, Canada Street, Waterford, X91 W028  
PHONE: +353 51 309 500

project ref.  
LUCAN ROAD OLD HOUSING,  
PALMERSTOWN, DUBLIN 20

drawing title  
FOUL WATER LAYOUT PLAN

client  
TUATH HOUSING ASSOCIATION

designed by	author	scale	sheet size
SJM	DCH	1:100	A1

drawing no. 190077-DBFL-FW-SP-DR-C-1021

revision P0