

| Client | South Dublin County Council | | | | | | | | | | | | | | |  John Morris Arboricultural Consultancy | |
|----------------|--|-------------------|---|--|--|----------------------|--|--|---------------------------------|--|--|--------------|--|---------------------------------|--|---|--|
| Project / Site | Rathfarnham Castle, Dublin 14 | | | | | | | | | | | | | | | | |
| Reference | 24-803-01 | | | | | | | | | | | | | | | | |
| Survey Date | 27th January 2025 | | | | | | | | | | | | | | | | |
| Abbreviation | Definition | Age Class | Physiological Condition | | | Structural Condition | | | Category | | | U.L.E | | Sub category | | | |
| H | Height (m) | Y (Young) | Newly planted (<10 yrs old) | | | Good | | | No visible defects | | | A | | High value and conservation | | | 40+ |
| Stem Dia. | Stem diameter (mm) | SM (Semi-mature) | First third of life expectancy | | | Fair | | | Intervention may improve health | | | B | | Moderate value and conservation | | | 20+ |
| C.C | Crown clearance (m) | EM (Early mature) | Second third of life expectancy | | | Poor | | | Serious ill health or dying | | | C | | Low value and conservation | | | 10+ |
| L.B.H | Lowest (significant) branch height (m) | M (Mature) | Full age for species | | | | | | | | | U | | Not suitable for retention | | | <10 |
| L.B.D | Direction of lowest (significant) branch | OM (Over mature) | Beyond life expectancy & in decline | | | | | | | | | | | | | | |
| U.L.E | Minimum useful life expectancy (yrs) | V (Veteran) | Ancient characteristics or conservation value | | | Prefix | | | G - Group | | | H - Hedgerow | | W - Woodland | | | P - Tree is on private land *Tree is not on topographical survey and therefore position remains indistinct # Measurements estimated (tree is inaccessible) |

| Tree No. | Tag No. | Species | Botanical Name | H (m) | Stem Dia. | No of Stems | Crown Spread (m) | | | | C.C (m) | L.B.H (m) | L.B.D | Age | Physiological | Structural | Comments | | Recommendations | U.L.E | Cat. | RPA (m2) | RPA Radial distance (m) | | |
|----------|---------|---------------------|------------------------------------|-------|-----------|-------------|------------------|---|---|---|---------|-----------|-------|------|---------------|------------|--|--|-----------------|-------|--|----------|-------------------------|-----|----|
| 1* | 0801 | Silver Birch | <i>Betula pendula</i> | 10 | 180 | 1 | 3 | 2 | 2 | 2 | 1 | 3 | West | SM | Good | Good | Single stem forming compact crown with weeping foliage, from grass. | | | | None | 20+ | B1 | 14 | 2 |
| 2 | 0802 | Paper-Bark Maple | <i>Acer griseum</i> | 2 | 70 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | North | SM | Good | Good | Two stems from base forming compact crown, from grass. | | | | None | 10+ | C1 | 3 | 1 |
| 3 | 0803 | Pin Oak | <i>Quercus palustris</i> | 8 | 220 | 1 | 3 | 3 | 3 | 3 | 2 | 3 | North | SM | Good | Good | Single stem forming spreading crown, from grass. | | | | None | 20+ | B1 | 23 | 3 |
| 4 | 0804 | Dead - Unidentified | <i>Dead - Unidentified</i> | 3 | 850 | 1 | 1 | 1 | 1 | 1 | n/a | n/a | n/a | Dead | Dead | Dead | Ivy clad monolith. | | | | Retain as habitat feature | <10 | U | 327 | 10 |
| 5 | 0805 | Beech (Common) | <i>Fagus sylvatica</i> | 18 | 720 | 1 | 6 | 6 | 6 | 7 | 3 | 5 | West | M | Good | Fair | Four leaders from 4m forming spreading crown, included bark unions at bifurcations, from grass adjacent to 4m stone wall. | | | | None. | 40+ | A1 | 238 | 9 |
| 6 | 0806 | Lime (Small leaf) | <i>Tilia cordata</i> | 12 | 480 | 1 | 4 | 5 | 3 | 4 | 4 | 5 | West | EM | Fair | Good | Single ivy clad stem forming spreading crown, dead limbs<100mmØ, crown dieback, from grass adjacent to 4m stone wall. | | | | Crown clean. | 10+ | C1 | 102 | 6 |
| 7 | 0807 | Beech (Common) | <i>Fagus sylvatica</i> | 13 | 410 | 1 | 4 | 5 | 4 | 4 | 3 | 3 | North | SM | Poor | Poor | Single stem forming spreading crown, extensive bark necrosis main stem with strip of Chondrostereum purpureum north, dead/dying lower crown, bark colouration in middle/upper crown indicates in advanced physiological decline, from grass. | | | | Fell to maintain site safety. | <10 | U | 72 | 5 |
| 8 | 0808 | Copper Beech | <i>Fagus sylvatica 'Purpurea'</i> | 10 | 310 | 1 | 5 | 5 | 4 | 4 | 2 | 3 | East | SM | Good | Good | Single stem forming spreading crown, bark damage at root flare, from grass. | | | | None | 20+ | B1 | 41 | 4 |
| H9 | 0809 | Box | <i>Buxus sempervirens</i> | 1 | 80 | 1 | 1 | 1 | 1 | 1 | n/a | n/a | n/a | SM | Good | Good | Formal managed hedge, from grass verge surrounding paved entrance. | | | | Part removal to facilitate proposed works. | 10+ | C2 | 3 | 1 |
| 10 | 0810 | Corkscrew Hazel | <i>Corylus avellana 'Contorta'</i> | 2 | 130 | 3 | 1 | 1 | 1 | 1 | 1 | n/a | n/a | EM | Good | Good | Two stems from base forming compact crown, from grass. | | | | None | 10+ | C1 | 7 | 2 |
| 11 | 0811 | Corkscrew Hazel | <i>Corylus avellana 'Contorta'</i> | 3 | 190 | 5 | 1 | 2 | 1 | 1 | 1 | n/a | n/a | EM | Good | Good | Multistem from base forming compact crown, from grass. | | | | None. | 10+ | C1 | 18 | 2 |
| 12 | 0812 | Corkscrew Hazel | <i>Corylus avellana 'Contorta'</i> | 3 | 190 | 3 | 1 | 2 | 2 | 1 | 1 | n/a | n/a | EM | Good | Good | Multistem from base forming compact crown, from grass. | | | | None. | 10+ | C1 | 18 | 2 |
| 13 | 0813 | Pin Oak | <i>Quercus palustris</i> | 9 | 240 | 1 | 4 | 5 | 4 | 4 | 3 | 4 | North | SM | Good | Good | Single stem forming spreading crown, from grass. | | | | None | 20+ | B1 | 28 | 3 |
| 14 | 0814 | Pin Oak | <i>Quercus palustris</i> | 8 | 180 | 1 | 3 | 2 | 3 | 3 | 2 | 3 | East | SM | Good | Good | Single stem forming compact crown, from grass. | | | | None | 20+ | B1 | 14 | 2 |
| 15 | 0815 | Pin Oak | <i>Quercus palustris</i> | 5 | 100 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | East | Y | Poor | Fair | Single stem forming compact crown, extensive crown dieback with <20% live buds remaining, from grass. | | | | Replace as good arboricultural practice. | <10 | U | 5 | 1 |
| 16 | 0816 | Lime (Small leaf) | <i>Tilia cordata</i> | 12 | 280 | 1 | 4 | 3 | 4 | 4 | 2 | 4 | North | SM | Good | Good | Single stem forming part suppressed spreading crown, single girdling root, from grass behind 1m stone wall. | | | | None | 20+ | B1 | 34 | 3 |
| 17 | 0817 | Lime (Small leaf) | <i>Tilia cordata</i> | 13 | 320 | 1 | 5 | 4 | 5 | 5 | 3 | 3 | West | SM | Good | Good | Single stem forming spreading crown, from behind 1m stone wall. | | | | None | 20+ | B1 | 48 | 4 |
| 18 | 0818 | Lime (Small leaf) | <i>Tilia cordata</i> | 13 | 330 | 1 | 4 | 4 | 5 | 4 | 2 | 3 | South | SM | Good | Good | Single stem forming spreading crown, from behind 1m stone wall. | | | | None | 20+ | B1 | 48 | 4 |
| 19 | 0819 | Lime (Small leaf) | <i>Tilia cordata</i> | 10 | 310 | 1 | 4 | 4 | 4 | 4 | 2 | 3 | West | SM | Good | Good | Single stem forming spreading crown, from behind 1m stone wall. | | | | None | 20+ | B1 | 41 | 4 |
| G20 | 0820 | Mixed Species Group | n/a | 14 | 500 | 1 | 5 | 5 | 5 | 5 | 2 | n/a | n/a | EM | Good | Fair | Mixed species linear group comprising lime, ash, beech, birch, oak, Norway maple, hornbeam and Scots pine, ivy clad, occasional failed limbs, understory of elder and bramble, from boundary. | | | | None | 20+ | B2 | 113 | 6 |
| 21 | 0821 | Lime (Small leaf) | <i>Tilia cordata</i> | 13 | 700 | 1 | 5 | 6 | 6 | 7 | 2 | 5 | East | M | Good | Good | Single stem forming spreading crown, dead short snags, recent storm damaged limb, from grass verge. | | | | None | 40+ | A1 | 222 | 8 |
| 22 | 0822 | Beech (Common) | <i>Fagus sylvatica</i> | 13 | 420 | 1 | 6 | 4 | 3 | 5 | 3 | 4 | North | EM | Good | Good | Single stem forming part suppressed spreading crown, from grass verge. | | | | None | 20+ | B1 | 82 | 5 |

| | | | | | | | | | | | | | | | | | | | | |
|--------------|--|-------------------|---|--|--|-------------------------|---------------------------------|--|--|----------------------|----------------------------------|--------------|-----------------------------|--|---------------------------------|--|--|-------|--------------|-------------------------|
| Reference | 24-803-01 | | | | | | | | | | | | | | | | | | | |
| Survey Date | 27th January 2025 | | | | | | | | | | | | | | | | | | | |
| Abbreviation | Definition | Age Class | | | | Physiological Condition | | | | Structural Condition | | | | Category | | | | U.L.E | Sub category | |
| H | Height (m) | Y (Young) | Newly planted (<10 yrs old) | | | Good | No obvious health problems | | | Good | No visible defects | | | A | High value and conservation | | | | 40+ | 1 Mainly arboricultural |
| Stem Dia. | Stem diameter (mm) | SM (Semi-mature) | First third of life expectancy | | | Fair | Intervention may improve health | | | Fair | Defects may require intervention | | | B | Moderate value and conservation | | | | 20+ | 2 Mainly landscape |
| C.C. | Crown clearance (m) | EM (Early mature) | Second third of life expectancy | | | Poor | Serious ill health or dying | | | Poor | Dangerous or no remedy | | | C | Low value and conservation | | | | 10+ | 3 Mainly cultural |
| L.B.H | Lowest (significant) branch height (m) | M (Mature) | Full age for species | | | | | | | | | | | U | Not suitable for retention | | | | <10 | |
| L.B.D | Direction of lowest (significant) branch | OM (Over mature) | Beyond life expectancy & in decline | | | | | | | | | | | | | | | | | |
| U.L.E | Minimum useful life expectancy (yrs) | V (Veteran) | Ancient characteristics or conservation value | | | | Prefix | | | G - Group | H - Hedgerow | W - Woodland | P - Tree is on private land | *Tree is not on topographical survey and therefore position remains indistinct # Measurements estimated (tree is inaccessible) | | | | | | |

| Tree No. | Tag No. | Species | Botanical Name | H (m) | Stem Dia. | No of Stems | Crown Spread (m) | | | | C.C (m) | L.B.H (m) | L.B.D | Age | Physiological | Structural | Comments | | | Recommendations | U.L.E | Cat. | RPA (m2) | RPA Radial distance (m) |
|----------|---------|---------------------|-----------------------------------|-------|-----------|-------------|------------------|---|---|---|---------|-----------|-------|------|---------------|------------|---|--|--|---------------------------|-------|------|----------|-------------------------|
| 23 | 0823 | Sycamore | <i>Acer pseudoplatanus</i> | 15 | 450 | 1 | 5 | 5 | 3 | 5 | 4 | 4 | East | EM | Good | Good | Single stem forming part suppressed spreading crown, hanger from limb failure from T21, from grass. | | | Remove hanger | 20+ | B1 | 92 | 5 |
| 24 | 0824 | Holly | <i>Ilex aquifolium</i> | 6 | 180 | 1 | 2 | 2 | 1 | 2 | 3 | 3 | East | EM | Good | Good | Single stem forming compact crown, from grass. | | | None | 10+ | C1 | 14 | 2 |
| 25 | 0825 | Beech (Common) | <i>Fagus sylvatica</i> | 13 | 350 | 1 | 3 | 3 | 4 | 3 | 3 | 4 | East | EM | Good | Good | Single stem forming part suppressed spreading crown, from grass. | | | None | 20+ | B1 | 55 | 4 |
| 26* | 0826 | Bay | <i>Laurus nobilis</i> | 7 | 380 | 10 | 4 | 3 | 3 | 3 | 2 | 3 | North | EM | Good | Good | Multistem from base forming compact lifted crown, from grass verge. | | | None | 20+ | B1 | 64 | 5 |
| 27 | 0827 | Ash (Common) | <i>Fraxinus excelsior</i> | 14 | 500 | 1 | 5 | 6 | 7 | 6 | 3 | 4 | West | EM | Fair | Good | Single stem forming spreading crown, deadwood <50mmØ, from grass verge. | | | None | 20+ | B1 | 113 | 6 |
| 28 | 0828 | Beech (Common) | <i>Fagus sylvatica</i> | 8 | 220 | 1 | 2 | 3 | 3 | 1 | 1 | 2 | East | SM | Good | Good | Single stem forming part suppressed spreading crown, from grass. | | | None | 20+ | B1 | 23 | 3 |
| 29 | 0829 | Walnut (Common) | <i>Juglans regia</i> | 13 | 420 | 1 | 5 | 5 | 5 | 5 | 5 | 6 | East | EM | Fair | Fair | Single stem forming spreading crown, large basal stem wound partial occlusion, reduced bud density through crown, small diameter dieback, from grass. | | | None | 20+ | B1 | 82 | 5 |
| 30 | 0830 | Irish Yew | <i>Taxus baccata 'Fastigiata'</i> | 9 | 500 | 1 | 3 | 3 | 4 | 4 | 1 | 1 | West | EM | Good | Good | Single stem forming part suppressed spreading crown, deadwood <50mmØ, from grass. | | | None | 20+ | B1 | 113 | 6 |
| 31 | 0831 | Irish Yew | <i>Taxus baccata 'Fastigiata'</i> | 9 | 590 | 1 | 4 | 4 | 4 | 5 | 3 | 4 | East | EM | Good | Good | Two leaders from 2m forming spreading crown, deadwood <50mmØ, from grass. | | | None | 20+ | B1 | 163 | 7 |
| 32 | 0832 | Irish Yew | <i>Taxus baccata 'Fastigiata'</i> | 8 | 370 | 1 | 3 | 5 | 7 | 2 | 3 | 4 | East | EM | Fair | Fair | Two leaders from 2m forming part suppressed asymmetric crown, dead limb 80mm from bifurcation, from grass. | | | None | 20+ | B1 | 64 | 5 |
| 33 | 0833 | Irish Yew | <i>Taxus baccata 'Fastigiata'</i> | 8 | 340 | 3 | 2 | 2 | 3 | 7 | 3 | 2 | West | EM | Fair | Fair | Two stems from base forming suppressed asymmetric crown, deadwood <100mmØ, from grass. | | | None | 20+ | B1 | 55 | 4 |
| 34 | 0834 | Dead - Unidentified | <i>Dead - Unidentified</i> | 6 | 1010 | 1 | 1 | 1 | 1 | 1 | n/a | n/a | n/a | Dead | Dead | Dead | Ivy clad monolith from grass. | | | Retain as habitat feature | <10 | U | 452 | 12 |
| 35 | 0835 | Irish Yew | <i>Taxus baccata 'Fastigiata'</i> | 8 | 580 | 1 | 4 | 3 | 2 | 5 | 3 | 4 | West | EM | Fair | Fair | Multistem from 2m forming part suppressed spreading crown, extensive bark necrosis to lower stem north from probable fire with associated corresponding dead limbs, from grass. | | | Crown clean | 10+ | C1 | 150 | 7 |
| 36 | 0836 | Beech (Common) | <i>Fagus sylvatica</i> | 14 | 350 | 1 | 3 | 3 | 5 | 5 | 3 | 3 | South | SM | Good | Good | Single stem forming part suppressed spreading crown, from grass. | | | None | 20+ | B1 | 55 | 4 |
| 37 | 0837 | Ash (Common) | <i>Fraxinus excelsior</i> | 13 | 440 | 1 | 3 | 7 | 7 | 5 | 3 | 4 | South | EM | Fair | Fair | Single stem forming part suppressed spreading crown, from grass. | | | None | 20+ | B1 | 92 | 5 |
| 38 | 0838 | Lime (Small leaf) | <i>Tilia cordata</i> | 13 | 700 | 1 | 5 | 9 | 6 | 5 | 2 | 5 | East | M | Good | Fair | Multistem from 3m forming spreading crown, historic co-dominant limb failure 3m west with associated large wound with decay pocket and partial occlusion, from grass. | | | None | 40+ | A1 | 222 | 8 |
| 39 | 0839 | Lime (Small leaf) | <i>Tilia cordata</i> | 9 | 240 | 1 | 3 | 3 | 3 | 3 | 3 | 4 | South | SM | Good | Good | Single stem forming spreading crown, minor storm damage, from grass behind 1m stonewall. | | | None | 20+ | B1 | 28 | 3 |
| 40 | 0840 | Lime (Small leaf) | <i>Tilia cordata</i> | 11 | 270 | 1 | 3 | 3 | 3 | 2 | 2 | 4 | North | SM | Good | Good | Single stem forming part suppressed spreading crown, from grass behind 1m stone wall. | | | None | 20+ | B1 | 34 | 3 |
| 41 | 0841 | Irish Yew | <i>Taxus baccata 'Fastigiata'</i> | 10 | 810 | 1 | 7 | 7 | 5 | 5 | 3 | 3 | North | M | Fair | Good | Two leaders from 2m forming spreading crown, ivy clad, historic crown lifting with large diameter limb removal, from grass. | | | None | 40+ | A1 | 290 | 10 |
| 42 | 0842 | London Plane | <i>Platanus x hispanica</i> | 14 | 350 | 1 | 6 | 5 | 4 | 4 | 6 | 8 | North | SM | Good | Fair | Single stem forming spreading crown, from narrow grass verge. | | | None | 20+ | B1 | 55 | 4 |
| 43 | 0843 | London Plane | <i>Platanus x hispanica</i> | 13 | 320 | 1 | 5 | 4 | 3 | 2 | 4 | 6 | North | SM | Fair | Fair | Two leaders from 2m forming part suppressed spreading crown, from narrow grass verge. | | | None | 20+ | B1 | 48 | 4 |
| 44 | 0844 | London Plane | <i>Platanus x hispanica</i> | 15 | 480 | 1 | 7 | 5 | 4 | 7 | 6 | 8 | North | EM | Good | Fair | Two leaders from 4m forming spreading crown, from narrow grass verge. | | | None | 20+ | B1 | 102 | 6 |
| 45 | 0845 | Lime (Small leaf) | <i>Tilia cordata</i> | 16 | 400 | 1 | 5 | 5 | 4 | 3 | 6 | 7 | North | EM | Good | Fair | Single stem forming spreading crown, west buttress bark damage, from narrow grass verge. | | | None | 20+ | B1 | 72 | 5 |

| | | | | | | | | | | | | | | | | | | | | |
|--------------|--|-------------------|---|--|--|-------------------------|---------------------------------|--|--|----------------------|----------------------------------|--------------|-----------------------------|---|---------------------------------|--|---|-------|-------------------------|--|
| Reference | 24-803-01 | | | | | | | | | | | | | | | | | | | |
| Survey Date | 27th January 2025 | | | | | | | | | | | | | | | | | | | |
| Abbreviation | Definition | Age Class | | | | Physiological Condition | | | | Structural Condition | | | | Category | | | | U.L.E | Sub category | |
| H | Height (m) | Y (Young) | Newly planted (<10 yrs old) | | | Good | No obvious health problems | | | Good | No visible defects | | | A | High value and conservation | | | 40+ | 1 Mainly arboricultural | |
| Stem Dia. | Stem diameter (mm) | SM (Semi-mature) | First third of life expectancy | | | Fair | Intervention may improve health | | | Fair | Defects may require intervention | | | B | Moderate value and conservation | | | 20+ | 2 Mainly landscape | |
| C.C | Crown clearance (m) | EM (Early mature) | Second third of life expectancy | | | Poor | Serious ill health or dying | | | Poor | Dangerous or no remedy | | | C | Low value and conservation | | | 10+ | 3 Mainly cultural | |
| L.B.H | Lowest (significant) branch height (m) | M (Mature) | Full age for species | | | | | | | | | | | U | Not suitable for retention | | | <10 | | |
| L.B.D | Direction of lowest (significant) branch | OM (Over mature) | Beyond life expectancy & in decline | | | | | | | | | | | | | | | | | |
| U.L.E | Minimum useful life expectancy (yrs) | V (Veteran) | Ancient characteristics or conservation value | | | | Prefix | | | G - Group | H - Hedgerow | W - Woodland | P - Tree is on private land | *Tree is not on topographical survey and therefore position remains indistinctive | | | # Measurements estimated (tree is inaccessible) | | | |

| Tree No. | Tag No. | Species | Botanical Name | H (m) | Stem Dia. | No of Stems | Crown Spread (m) | | | | C.C (m) | L.B.H (m) | L.B.D | Age | Physiological | Structural | Comments | | Recommendations | U.L.E | Cat. | RPA (m2) | RPA Radial distance (m) |
|----------|---------|----------------------|-----------------------------|-------|-----------|-------------|------------------|---|---|---|---------|-----------|-------|------|---------------|--------------------------------------|--|------------------------------------|-----------------|-------|------|----------|-------------------------|
| 46 | 0846 | London Plane | <i>Platanus x hispanica</i> | 16 | 400 | 1 | 7 | 5 | 5 | 4 | 4 | 7 | North | EM | Good | Fair | Single stem forming spreading crown, from narrow grass verge. | | None | 20+ | B1 | 72 | 5 |
| 47 | 0847 | London Plane | <i>Platanus x hispanica</i> | 16 | 420 | 1 | 6 | 5 | 4 | 5 | 7 | 7 | North | EM | Good | Fair | Single stem forming spreading crown, from narrow grass verge. | | None | 20+ | B1 | 82 | 5 |
| 48 | 0848 | London Plane | <i>Platanus x hispanica</i> | 15 | 420 | 1 | 6 | 4 | 5 | 5 | 6 | 6 | North | EM | Good | Fair | Single stem forming spreading crown, from narrow grass verge. | | None | 20+ | B1 | 82 | 5 |
| 49 | 0849 | London Plane | <i>Platanus x hispanica</i> | 14 | 400 | 1 | 5 | 4 | 5 | 5 | 6 | 5 | South | EM | Good | Fair | Two leaders from 2m forming spreading crown, historic co-dominant secondary limb failure roadside with associated wound, from narrow grass verge. | | None | 20+ | B1 | 72 | 5 |
| 50 | 0850 | London Plane | <i>Platanus x hispanica</i> | 15 | 420 | 1 | 5 | 6 | 5 | 4 | 5 | 5 | South | EM | Good | Fair | Three leaders from 2m forming spreading crown, previously pruned, from narrow grass verge. | | None | 20+ | B1 | 82 | 5 |
| 51 | 0851 | London Plane | <i>Platanus x hispanica</i> | 17 | 540 | 1 | 6 | 7 | 4 | 4 | 5 | 5 | East | EM | Good | Fair | Single ivy clad stem forming spreading crown, Jelly ear fungus <i>Auricularia auricula-judae</i> from historic limb removal wound south, from narrow grass verge. | | None | 20+ | B1 | 137 | 7 |
| 52 | 0852 | Lime (Small leaf) | <i>Tilia cordata</i> | 16 | 430 | 1 | 5 | 4 | 4 | 4 | 4 | 6 | North | EM | Good | Fair | Three leaders from 3m forming spreading crown, adjacent underground services, from narrow grass verge. | | None | 20+ | B1 | 82 | 5 |
| 53 | 0853 | London Plane | <i>Platanus x hispanica</i> | 14 | 410 | 1 | 6 | 4 | 4 | 3 | 5 | 6 | South | EM | Good | Fair | Two leaders from 3m forming spreading crown, from narrow grass verge. | | None | 20+ | B1 | 72 | 5 |
| 54 | 0854 | London Plane | <i>Platanus x hispanica</i> | 15 | 360 | 1 | 6 | 4 | 4 | 3 | 5 | 5 | East | EM | Good | Fair | Two leaders from 3m forming spreading crown, from narrow grass verge. | | None | 20+ | B1 | 55 | 4 |
| 55 | 0855 | London Plane | <i>Platanus x hispanica</i> | 15 | 320 | 1 | 7 | 4 | 4 | 4 | 6 | 5 | East | EM | Good | Fair | Single stem forming spreading crown, previously pruned, from narrow grass verge. | | None | 20+ | B1 | 48 | 4 |
| 56 | 0856 | Lime (Small leaf) | <i>Tilia cordata</i> | 14 | 400 | 1 | 5 | 4 | 4 | 4 | 5 | 6 | South | EM | Good | Fair | Multistem from 3m forming spreading crown, adjacent underground services, from narrow grass verge. | | None | 20+ | B1 | 72 | 5 |
| 57 | 0857 | London Plane | <i>Platanus x hispanica</i> | 15 | 470 | 1 | 5 | 5 | 4 | 5 | 6 | 6 | South | EM | Good | Fair | Two leaders from 4m forming spreading crown, historic storm damage, previously pruned, adjacent underground services, from narrow grass verge. | | None | 20+ | B1 | 102 | 6 |
| 58 | 0858 | Rowan / Mountain Ash | <i>Sorbus aucuparia</i> | 3 | 140 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | East | EM | Fair | Fair | Two leaders from 0.5m forming compact crown, previously pruned, basal stem damage, from narrow grass verge. | | None | 10+ | C1 | 10 | 2 |
| 59 | 0859 | London Plane | <i>Platanus x hispanica</i> | 17 | 490 | 1 | 5 | 6 | 5 | 6 | 6 | 6 | South | EM | Good | Fair | Single stem forming spreading crown, previously pruned residential side, lifting concrete pavement with trip hazard from raised utility inspection cover, from narrow grass verge. | | None | 20+ | B1 | 113 | 6 |
| H60 | 0860 | Box | <i>Buxus sempervirens</i> | 1 | 80 | 1 | 1 | 1 | 1 | 1 | n/a | n/a | SM | Good | Good | Formal managed hedge from shrub bed. | | Fell to facilitate proposed works. | | 10+ | C2 | 3 | 1 |
| 61 | 0861 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 140 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | None | 10+ | C1 | 10 | 2 |
| 62 | 0862 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 160 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | None | 10+ | C1 | 10 | 2 |
| 63 | 0863 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 150 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | None | 10+ | C1 | 10 | 2 |
| 64 | 0864 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 140 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, lower stem bark necrosis, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | None | 10+ | C1 | 10 | 2 |

| | | | | | | | | | | | | | | | | | | | | |
|--------------|--|-------------------|---|--|-------------------------|------|---------------------------------|--|----------------------|-----------|----------------------------------|--------------|-----------------------------|--|---------------------------------|--|---|--------------|-------------------------|--|
| Reference | 24-803-01 | | | | | | | | | | | | | | | John Harris Arboricultural Consultancy | | | | |
| Survey Date | 27th January 2025 | | | | | | | | | | | | | | | | | | | |
| Abbreviation | Definition | Age Class | | | Physiological Condition | | | | Structural Condition | | | | Category | | | | U.L.E | Sub category | | |
| H | Height (m) | Y (Young) | Newly planted (<10 yrs old) | | | Good | No obvious health problems | | | Good | No visible defects | | | A | High value and conservation | | | 40+ | 1 Mainly arboricultural | |
| Stem Dia. | Stem diameter (mm) | SM (Semi-mature) | First third of life expectancy | | | Fair | Intervention may improve health | | | Fair | Defects may require intervention | | | B | Moderate value and conservation | | | 20+ | 2 Mainly landscape | |
| C.C | Crown clearance (m) | EM (Early mature) | Second third of life expectancy | | | Poor | Serious ill health or dying | | | Poor | Dangerous or no remedy | | | C | Low value and conservation | | | 10+ | 3 Mainly cultural | |
| L.B.H | Lowest (significant) branch height (m) | M (Mature) | Full age for species | | | | | | | | | | | U | Not suitable for retention | | | <10 | | |
| L.B.D | Direction of lowest (significant) branch | OM (Over mature) | Beyond life expectancy & in decline | | | | | | | | | | | | | | | | | |
| U.L.E | Minimum useful life expectancy (yrs) | V (Veteran) | Ancient characteristics or conservation value | | | | Prefix | | | G - Group | H - Hedgerow | W - Woodland | P - Tree is on private land | *Tree is not on topographical survey and therefore position remains indistinct | | | # Measurements estimated (tree is inaccessible) | | | |

| Tree No. | Tag No. | Species | Botanical Name | H (m) | Stem Dia. | No of Stems | Crown Spread (m) | | | | C.C (m) | L.B.H (m) | L.B.D | Age | Physiological | Structural | Comments | | | Recommendations | U.L.E | Cat. | RPA (m2) | RPA Radial distance (m) |
|----------|---------|-------------------|----------------------|-------|-----------|-------------|------------------|---|---|---|---------|-----------|-------|-----|---------------|------------|--|--|--|------------------------------------|-------|------|----------|-------------------------|
| 65 | 0865 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, lower stem bark necrosis, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 66 | 0866 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 67 | 0867 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 68 | 0868 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 69 | 0869 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, lower stem wound partial occlusion, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 70 | 0870 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 180 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 14 | 2 |
| 71 | 0871 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 180 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 14 | 2 |
| 72 | 0872 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 180 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, lower stem wounds partial occlusion part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 14 | 2 |
| 73 | 0873 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 170 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 14 | 2 |
| 74 | 0874 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 170 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 14 | 2 |
| 75 | 0875 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 180 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 15 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 14 | 2 |
| 76 | 0876 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| 77 | 0877 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 78 | 0878 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 79 | 0879 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |

| | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|-------------------|---|--|-------------------------|---------------------------------|--|----------------------|----------------------------------|--|--------------|---------------------------------|--|--|--|--|---|-------------------------|--|--|--|
| Reference | 24-803-01 | | | | | | | | | | | | | | | John Harris Arboricultural Consultancy | | | | | |
| Survey Date | 27th January 2025 | | | | | | | | | | | | | | | | | | | | |
| Abbreviation | Definition | Age Class | | | Physiological Condition | | | Structural Condition | | | Category | | | | | | U.L.E | Sub category | | | |
| H | Height (m) | Y (Young) | Newly planted (<10 yrs old) | | Good | No obvious health problems | | Good | No visible defects | | A | High value and conservation | | | | | 40+ | 1 Mainly arboricultural | | | |
| Stem Dia. | Stem diameter (mm) | SM (Semi-mature) | First third of life expectancy | | Fair | Intervention may improve health | | Fair | Defects may require intervention | | B | Moderate value and conservation | | | | | 20+ | 2 Mainly landscape | | | |
| C.C. | Crown clearance (m) | EM (Early mature) | Second third of life expectancy | | Poor | Serious ill health or dying | | Poor | Dangerous or no remedy | | C | Low value and conservation | | | | | 10+ | 3 Mainly cultural | | | |
| L.B.H | Lowest (significant) branch height (m) | M (Mature) | Full age for species | | | | | | | | U | Not suitable for retention | | | | | <10 | | | | |
| L.B.D | Direction of lowest (significant) branch | OM (Over mature) | Beyond life expectancy & in decline | | | | | | | | | | | | | | | | | | |
| U.L.E | Minimum useful life expectancy (yrs) | V (Veteran) | Ancient characteristics or conservation value | | | Prefix | | G - Group | H - Hedgerow | | W - Woodland | P - Tree is on private land | | *Tree is not on topographical survey and therefore position remains indistinct | | | # Measurements estimated (tree is inaccessible) | | | | |

| Tree No. | Tag No. | Species | Botanical Name | H (m) | Stem Dia. | No of Stems | Crown Spread (m) | | | | C.C (m) | L.B.H (m) | L.B.D | Age | Physiological | Structural | Comments | | | Recommendations | U.L.E | Cat. | RPA (m2) | RPA Radial distance (m) |
|----------|---------|-------------------|-----------------------------------|-------|-----------|-------------|------------------|---|---|---|---------|-----------|-------|------|---------------|--|--|--|------------------------------------|------------------------------------|-------|------|----------|-------------------------|
| 80 | 0880 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 81 | 0881 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 82 | 0882 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 83 | 0883 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 84 | 0884 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 210 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 85 | 0885 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 86 | 0886 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 87 | 0887 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 88 | 0888 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 18 | 2 |
| 89 | 0889 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 180 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass behind 1m stone wall. | | | None | 10+ | C1 | 14 | 2 |
| 90 | 0890 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 180 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass between 1m and 0.5m stone walls | | | Fell to facilitate proposed works. | 10+ | C1 | 14 | 2 |
| 91 | 0891 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 180 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass between 1m and 0.5m stone walls | | | Fell to facilitate proposed works. | 10+ | C1 | 14 | 2 |
| 92 | 0892 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass between 1m and 0.5m stone walls | | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| 93 | 0893 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 18 forming pleached canopy, from grass between 1m and 0.5m stone walls | | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| 94 | 0894 | Irish Yew | <i>Taxus baccata</i> 'Fastigiata' | 4 | 120 | 1 | 1 | 1 | 1 | 1 | n/a | n/a | SM | Good | Good | Single stem forming compact conical crown, from grass with paving perimeter. | | | Fell to facilitate proposed works. | 10+ | C1 | 7 | 2 | |
| 95 | 0895 | Irish Yew | <i>Taxus baccata</i> 'Fastigiata' | 4 | 120 | 1 | 1 | 1 | 1 | 1 | n/a | n/a | SM | Good | Good | Single stem forming compact conical crown, from grass with paving perimeter. | | | Fell to facilitate proposed works. | 10+ | C1 | 7 | 2 | |

| | | | | | | | | | | | | | | | | | | | |
|--------------|--|-------------------|---|--|-------------------------|---------------------------------|--|----------------------|----------------------------------|--|--------------|---------------------------------|--|--|--|---|-------------------------|--|--|
| Reference | 24-803-01 | | | | | | | | | | | | | | | | | | |
| Survey Date | 27th January 2025 | | | | | | | | | | | | | | | | | | |
| Abbreviation | Definition | Age Class | | | Physiological Condition | | | Structural Condition | | | Category | | | U.L.E | | | Sub category | | |
| H | Height (m) | Y (Young) | Newly planted (<10 yrs old) | | Good | No obvious health problems | | Good | No visible defects | | A | High value and conservation | | 40+ | | | 1 Mainly arboricultural | | |
| Stem Dia. | Stem diameter (mm) | SM (Semi-mature) | First third of life expectancy | | Fair | Intervention may improve health | | Fair | Defects may require intervention | | B | Moderate value and conservation | | 20+ | | | 2 Mainly landscape | | |
| C.C. | Crown clearance (m) | EM (Early mature) | Second third of life expectancy | | Poor | Serious ill health or dying | | Poor | Dangerous or no remedy | | C | Low value and conservation | | 10+ | | | 3 Mainly cultural | | |
| L.B.H | Lowest (significant) branch height (m) | M (Mature) | Full age for species | | | | | | | | U | Not suitable for retention | | <10 | | | | | |
| L.B.D | Direction of lowest (significant) branch | OM (Over mature) | Beyond life expectancy & in decline | | | | | | | | | | | | | | | | |
| U.L.E | Minimum useful life expectancy (yrs) | V (Veteran) | Ancient characteristics or conservation value | | | Prefix | | G - Group | H - Hedgerow | | W - Woodland | P - Tree is on private land | | *Tree is not on topographical survey and therefore position remains indistinct | | # Measurements estimated (tree is inaccessible) | | | |

| Tree No. | Tag No. | Species | Botanical Name | H (m) | Stem Dia. | No of Stems | Crown Spread (m) | | | | C.C (m) | L.B.H (m) | L.B.D | Age | Physiological | Structural | Comments | | Recommendations | U.L.E | Cat. | RPA (m2) | RPA Radial distance (m) |
|----------|---------|-------------------|-----------------------------------|-------|-----------|-------------|------------------|---|---|---|---------|-----------|-------|-----|---------------|------------|---|--|------------------------------------|-------|------|----------|-------------------------|
| 96 | 0896 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 8 forming pleached canopy, from raised grass behind low retaining wall and adjacent to 2m stone wall. | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| 97 | 0897 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 8 forming pleached canopy, from raised grass behind low retaining wall and adjacent to 2m stone wall. | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| 98 | 0898 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 8 forming pleached canopy, from raised grass behind low retaining wall and adjacent to 2m stone wall. | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| 99 | 0899 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 8 forming pleached canopy, from raised grass behind low retaining wall and adjacent to 2m stone wall. | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| 100 | 0900 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 8 forming pleached canopy, from raised grass behind low retaining wall and adjacent to 2m stone wall. | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| 101 | 0901 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 190 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 8 forming pleached canopy, from raised grass behind low retaining wall and adjacent to 2m stone wall. | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| 102 | 0902 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 8 forming pleached canopy, from raised grass behind low retaining wall and adjacent to 2m stone wall. | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| 103 | 0903 | Lime (Small leaf) | <i>Tilia cordata</i> | 5 | 200 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | East | SM | Good | Good | Single stem forming compact crown, part of cohesive linear group of 8 forming pleached canopy, from raised grass behind low retaining wall and adjacent to 2m stone wall. | | Fell to facilitate proposed works. | 10+ | C1 | 18 | 2 |
| G104* | 0904 | Irish Yew | <i>Taxus baccata 'Fastigiata'</i> | 4 | 160 | 1 | 2 | 2 | 2 | 2 | 1 | 1 | West | SM | Good | Good | Multistem group of three forming single compact canopy, from shrub bed. | | Fell to facilitate proposed works. | 10+ | C2 | 10 | 2 |
| 105 | 0905 | Weeping Beech | <i>Fagus sylvatica 'Pendula'</i> | 5 | 240 | 1 | 3 | 1 | 3 | 4 | 1 | 3 | North | SM | Fair | Fair | Single stem forming asymmetric spreading crown, historic large primary limb removal east, from shrub bed. | | Fell to facilitate proposed works. | 10+ | C1 | 28 | 3 |
| 106 | 0906 | Downy Birch | <i>Betula pubescens</i> | 8 | 190 | 1 | 3 | 3 | 3 | 3 | 2 | 3 | North | SM | Good | Good | Single stem forming spreading crown, from behind 1m stone wall within shrub bed. | | Lift crown to clear 2.4m | 20+ | B1 | 18 | 2 |
| 107 | 0907 | Downy Birch | <i>Betula pubescens</i> | 7 | 180 | 1 | 3 | 3 | 3 | 3 | 2 | 3 | South | SM | Good | Good | Single stem forming spreading crown, from behind 1m stone wall within shrub bed. | | Lift crown to clear 2.4m | 20+ | B1 | 14 | 2 |
| 108 | 0908 | Irish Yew | <i>Taxus baccata 'Fastigiata'</i> | 3 | 120 | 1 | 1 | 1 | 1 | 1 | 1 | n/a | n/a | Y | Good | Good | Multistem forming compact crown, from shrub bed. | | None | 10+ | C1 | 7 | 2 |
| 109 | 0909 | Red Maple | <i>Acer rubrum</i> | 3 | 120 | 2 | 2 | 2 | 2 | 1 | 1 | 2 | North | SM | Fair | Fair | Two leaders from base forming compact crown, deadwood <50mm, from shrub bed. | | None | 10+ | C1 | 7 | 2 |
| 110 | 0910 | Irish Yew | <i>Taxus baccata 'Fastigiata'</i> | 3 | 120 | 1 | 1 | 1 | 1 | 1 | 1 | n/a | n/a | Y | Good | Good | Multistem forming compact crown, from shrub bed. | | None | 10+ | C1 | 7 | 2 |
| 111 | 0911 | Silver Birch | <i>Betula pendula</i> | 11 | 240 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | West | SM | Good | Good | Single stem forming spreading crown, conflict with lamp pole, from narrow verge behind 1m stone wall. | | None | 20+ | B1 | 28 | 3 |

| | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|-------------------|---|--|-------------------------|---------------------------------|--|----------------------|----------------------------------|--|--------------|---------------------------------|--|--|--|--|---|-------------------------|--|--|--|
| Reference | 24-803-01 | | | | | | | | | | | | | | | | John Harris Arboricultural Consultancy | | | | |
| Survey Date | 27th January 2025 | | | | | | | | | | | | | | | | | | | | |
| Abbreviation | Definition | Age Class | | | Physiological Condition | | | Structural Condition | | | Category | | | | | | U.L.E | Sub category | | | |
| H | Height (m) | Y (Young) | Newly planted (<10 yrs old) | | Good | No obvious health problems | | Good | No visible defects | | A | High value and conservation | | | | | 40+ | 1 Mainly arboricultural | | | |
| Stem Dia. | Stem diameter (mm) | SM (Semi-mature) | First third of life expectancy | | Fair | Intervention may improve health | | Fair | Defects may require intervention | | B | Moderate value and conservation | | | | | 20+ | 2 Mainly landscape | | | |
| C.C. | Crown clearance (m) | EM (Early mature) | Second third of life expectancy | | Poor | Serious ill health or dying | | Poor | Dangerous or no remedy | | C | Low value and conservation | | | | | 10+ | 3 Mainly cultural | | | |
| L.B.H | Lowest (significant) branch height (m) | M (Mature) | Full age for species | | | | | | | | U | Not suitable for retention | | | | | <10 | | | | |
| L.B.D | Direction of lowest (significant) branch | OM (Over mature) | Beyond life expectancy & in decline | | | | | | | | | | | | | | | | | | |
| U.L.E | Minimum useful life expectancy (yrs) | V (Veteran) | Ancient characteristics or conservation value | | | Prefix | | G - Group | H - Hedgerow | | W - Woodland | P - Tree is on private land | | *Tree is not on topographical survey and therefore position remains indistinct | | | # Measurements estimated (tree is inaccessible) | | | | |

| Tree No. | Tag No. | Species | Botanical Name | H (m) | Stem Dia. | No of Stems | Crown Spread (m) | | | | C.C. (m) | L.B.H (m) | L.B.D | Age | Physiological | Structural | Comments | | Recommendations | | U.L.E | Cat. | RPA (m2) | RPA Radial distance (m) |
|----------|---------|-----------------------------|--|-------|-----------|-------------|------------------|----|---|---|----------|-----------|-------|-----|---------------|------------|---|--|--|--|-------|------|----------|-------------------------|
| 112 | 0912 | Himalayan Birch | <i>Betula utilis</i> | 8 | 170 | 1 | 3 | 3 | 2 | 2 | 3 | 3 | North | SM | Good | Good | Single stem forming part suppressed spreading crown, stem wound, from narrow verge behind 1m stone wall. | | None | | 10+ | C1 | 14 | 2 |
| 113 | 0913 | Downy Birch | <i>Betula pubescens</i> | 5 | 140 | 1 | 2 | 2 | 2 | 1 | 3 | 3 | North | SM | Fair | Fair | Single stem forming part suppressed compact crown, stem wounds, from narrow verge behind 1m stone wall. | | None | | 10+ | C1 | 10 | 2 |
| 114 | 0914 | Downy Birch | <i>Betula pubescens</i> | 8 | 180 | 1 | 2 | 3 | 3 | 2 | 3 | 3 | South | SM | Good | Good | Single stem forming part suppressed spreading crown, from narrow verge behind 1m stone wall. | | None | | 20+ | B1 | 14 | 2 |
| 115 | 0915 | Silver Birch | <i>Betula pendula</i> | 9 | 190 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | South | SM | Good | Good | Single stem forming compact crown, from narrow verge behind 1m stone wall. | | None | | 20+ | B1 | 18 | 2 |
| 116 | 0916 | Silver Birch | <i>Betula pendula</i> | 8 | 230 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | South | SM | Good | Good | Single stem forming spreading crown, from narrow verge behind 1m stone wall. | | None | | 20+ | B1 | 23 | 3 |
| 117 | 0917 | Himalayan Birch | <i>Betula utilis</i> | 8 | 230 | 1 | 3 | 3 | 3 | 4 | 3 | 3 | South | SM | Good | Good | Single stem forming spreading crown, from narrow verge behind 1m stone wall. | | None | | 20+ | B1 | 23 | 3 |
| 118 | 0918 | Paper-Bark Birch | <i>Betula papyrifera</i> | 6 | 110 | 1 | 3 | 3 | 3 | 1 | 3 | 3 | East | SM | Good | Good | Single stem forming part suppressed spreading crown, from narrow verge behind 1m stone wall. | | None | | 10+ | C1 | 5 | 1 |
| 119 | 0919 | Silver Birch | <i>Betula pendula</i> | 11 | 220 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | North | SM | Good | Good | Single stem forming spreading crown, from narrow verge behind 1m stone wall. | | None | | 20+ | B1 | 23 | 3 |
| 120 | 0920 | Downy Birch | <i>Betula pubescens</i> | 7 | 200 | 1 | 3 | 4 | 2 | 3 | 2 | 2 | East | SM | Good | Good | Single stem forming spreading crown, from narrow verge behind 1m stone wall. | | None | | 20+ | B1 | 18 | 2 |
| 121 | 0921 | Himalayan Birch | <i>Betula utilis</i> | 7 | 200 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | North | SM | Good | Good | Single stem forming spreading crown, from grass verge behind 1m stone wall. | | Fell to facilitate proposed works. | | 20+ | B1 | 18 | 2 |
| 122 | 0922 | Lime (Small leaf) | <i>Tilia cordata</i> | 12 | 260 | 1 | 4 | 4 | 3 | 2 | 3 | 3 | East | SM | Good | Good | Single stem forming part suppressed spreading crown, conflict with building and street sign, from grass verge. | | Fell to facilitate proposed works. | | 20+ | B1 | 28 | 3 |
| 123 | 0923 | Lime (Small leaf) | <i>Tilia cordata</i> | 14 | 290 | 1 | 5 | 5 | 2 | 5 | 3 | 4 | East | SM | Good | Good | Single stem forming part suppressed spreading crown, canopy conflict with building, from grass verge. | | Selective prune to clear building. | | 20+ | B1 | 41 | 4 |
| 124 | 0924 | Lime (Small leaf) | <i>Tilia cordata</i> | 14 | 240 | 1 | 2 | 5 | 3 | 2 | 3 | 3 | East | SM | Good | Good | Single stem forming part suppressed spreading crown, canopy conflict with building, from grass verge. | | Selective prune to clear building. | | 20+ | B1 | 28 | 3 |
| 125 | 0925 | Lime (Small leaf) | <i>Tilia cordata</i> | 14 | 230 | 1 | 3 | 2 | 1 | 3 | 3 | 3 | West | SM | Good | Good | Single stem forming part suppressed spreading crown, from grass verge. | | None | | 20+ | B1 | 23 | 3 |
| 126 | 0926 | Lime (Small leaf) | <i>Tilia cordata</i> | 14 | 250 | 1 | 3 | 4 | 2 | 2 | 3 | 3 | East | SM | Good | Good | Single stem forming part suppressed spreading crown, canopy conflict with building, from grass verge. | | Selective prune to clear building. | | 20+ | B1 | 28 | 3 |
| 127 | 0927 | Lime (Small leaf) | <i>Tilia cordata</i> | 15 | 380 | 1 | 4 | 3 | 4 | 5 | 3 | 3 | West | EM | Good | Fair | Two leaders from 2m forming part suppressed spreading crown, included bark union at bifurcation, decay pocket from historic pruning wound main stem 1m, from grass verge. | | None | | 20+ | B1 | 64 | 5 |
| 128 | 0928 | Lime (Small leaf) | <i>Tilia cordata</i> | 13 | 250 | 1 | 2 | 2 | 4 | 4 | 2 | 3 | South | SM | Good | Good | Single stem forming part suppressed spreading crown, from grass verge. | | None | | 20+ | B1 | 28 | 3 |
| 129 | 0929 | Lime (Small leaf) | <i>Tilia cordata</i> | 11 | 230 | 1 | 2 | 4 | 4 | 2 | 3 | 3 | East | SM | Good | Good | Single stem forming part suppressed spreading crown, canopy conflict with building, from grass verge. | | Selective prune to clear building. | | 20+ | B1 | 23 | 3 |
| 130 | 0930 | Sycamore | <i>Acer pseudoplatanus</i> | 14 | 760 | 1 | 6 | 5 | 5 | 6 | 3 | 3 | West | M | Fair | Fair | Single ivy clad stem forming spreading crown, reduced crown vitality, significant previous crown reduction with response growth, from grass verge. | | Remove ivy to allow full visual inspection | | 20+ | B1 | 254 | 9 |
| 131 | 0931 | Pedunculate oak | <i>Quercus robur</i> | 16 | 660 | 1 | 5 | 4 | 4 | 5 | 3 | 4 | West | M | Fair | Fair | Single stem forming part suppressed spreading crown, conflict with overhead cables, epicormic growth main stem, failed limb with decayed snag upper crown, previously pruned, from grass verge. | | None | | 40+ | A1 | 191 | 8 |
| 132 | 0932 | Monterey Cypress | <i>Cupressus macrocarpa</i> | 17 | 1340 | 2 | 6 | 10 | 7 | 8 | 4 | 4 | West | M | Good | Fair | Multistem from 2m forming broad spreading crown, minor storm damage with hanging limbs 60mmØ at 6m, from grass verge. | | Remove hangers | | 40+ | A1 | 824 | 16 |
| 133 | 0933 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 10 | 350 | 1 | 3 | 2 | 3 | 3 | 2 | 2 | East | SM | Fair | Fair | Single stem forming compact crown, from narrow grass verge. | | None | | 20+ | B1 | 55 | 4 |

| | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|-------------------|---|--|-------------------------|---------------------------------|--|----------------------|----------------------------------|--|--------------|---------------------------------|--|---|--|--|---|-------------------------|--|--|--|
| Reference | 24-803-01 | | | | | | | | | | | | | | | | John Harris Arboricultural Consultancy | | | | |
| Survey Date | 27th January 2025 | | | | | | | | | | | | | | | | | | | | |
| Abbreviation | Definition | Age Class | | | Physiological Condition | | | Structural Condition | | | Category | | | | | | U.L.E | Sub category | | | |
| H | Height (m) | Y (Young) | Newly planted (<10 yrs old) | | Good | No obvious health problems | | Good | No visible defects | | A | High value and conservation | | | | | 40+ | 1 Mainly arboricultural | | | |
| Stem Dia. | Stem diameter (mm) | SM (Semi-mature) | First third of life expectancy | | Fair | Intervention may improve health | | Fair | Defects may require intervention | | B | Moderate value and conservation | | | | | 20+ | 2 Mainly landscape | | | |
| C.C | Crown clearance (m) | EM (Early mature) | Second third of life expectancy | | Poor | Serious ill health or dying | | Poor | Dangerous or no remedy | | C | Low value and conservation | | | | | 10+ | 3 Mainly cultural | | | |
| L.B.H | Lowest (significant) branch height (m) | M (Mature) | Full age for species | | | | | | | | U | Not suitable for retention | | | | | <10 | | | | |
| L.B.D | Direction of lowest (significant) branch | OM (Over mature) | Beyond life expectancy & in decline | | | | | | | | | | | | | | | | | | |
| U.L.E | Minimum useful life expectancy (yrs) | V (Veteran) | Ancient characteristics or conservation value | | | Prefix | | G - Group | H - Hedgerow | | W - Woodland | P - Tree is on private land | | *Tree is not on topographical survey and therefore position remains indistinctive | | | # Measurements estimated (tree is inaccessible) | | | | |

| Tree No. | Tag No. | Species | Botanical Name | H (m) | Stem Dia. | No of Stems | Crown Spread (m) | | | | C.C (m) | L.B.H (m) | L.B.D | Age | Physiological | Structural | Comments | | Recommendations | U.L.E | Cat. | RPA (m2) | RPA Radial distance (m) |
|----------|---------|-----------------------------|--|-------|-----------|-------------|------------------|---|---|---|---------|-----------|-------|-----|---------------|------------|---|--|--|-------|------|----------|-------------------------|
| | | | | | | | N | E | S | W | | | | | | | | | | | | | |
| 134 | 0934 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 10 | 350 | 1 | 4 | 3 | 4 | 4 | 3 | 3 | East | SM | Fair | Fair | Single stem forming spreading crown, fully occluded stem torsion wound 1.5m, lifting concrete pavement with trip hazard, from narrow grass verge. | | None | 20+ | B1 | 55 | 4 |
| 135 | 0935 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 11 | 490 | 1 | 3 | 4 | 4 | 4 | 3 | 4 | East | EM | Good | Fair | Single stem forming part suppressed spreading crown, lifting concrete pavement with trip hazard, from narrow grass verge. | | None | 20+ | B1 | 113 | 6 |
| 136 | 0936 | Sycamore | <i>Acer pseudoplatanus</i> | 11 | 390 | 1 | 6 | 6 | 4 | 5 | 5 | 3 | East | EM | Good | Fair | Single stem forming spreading crown, lifting concrete pavement with trip hazard, from narrow grass verge. | | None | 20+ | B1 | 72 | 5 |
| 137* | 0937 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 6 | 240 | 1 | 3 | 2 | 3 | 2 | 5 | 3 | South | SM | Good | Good | Single stem forming compact crown, from grass within central reservation. | | None | 10+ | C1 | 28 | 3 |
| 138* | 0938 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 7 | 240 | 1 | 3 | 2 | 3 | 2 | 3 | 3 | West | SM | Good | Good | Single stem forming compact crown, from grass within central reservation. | | None | 10+ | C1 | 28 | 3 |
| 140* | 0940 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 7 | 180 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | West | SM | Good | Good | Single stem forming compact crown, from grass within central reservation. | | None | 10+ | C1 | 14 | 2 |
| 141 | 0941 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 8 | 330 | 1 | 3 | 3 | 4 | 3 | 3 | 3 | West | SM | Good | Good | Single stem forming compact crown, conflict with traffic light, from grass within central reservation. | | Selective prune to clear traffic light | 10+ | C1 | 48 | 4 |
| 142 | 0942 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 6 | 140 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | West | SM | Good | Good | Single stem forming compact crown, conflict with traffic light, from grass within central reservation. | | Selective prune to clear traffic light | 10+ | C1 | 10 | 2 |
| 143 | 0943 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 7 | 220 | 1 | 2 | 2 | 2 | 3 | 2 | 2 | West | SM | Fair | Good | Single stem forming compact crown, from grass within central reservation. | | None | 10+ | C1 | 23 | 3 |
| 144 | 0944 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 5 | 80 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | West | SM | Good | Good | Single stem forming compact crown, from grass within central reservation. | | None | 10+ | C1 | 3 | 1 |
| 145 | 0945 | Norway Maple 'Crimson King' | <i>Acer platanoides 'Crimson King'</i> | 5 | 180 | 1 | 2 | 2 | 1 | 1 | 3 | 2 | West | SM | Good | Good | Single stem forming compact crown, from grass within central reservation. | | None | 10+ | C1 | 14 | 2 |